

<u>SUBJECT</u>		<u>DATE</u>
1056. Hazardous Waste Tanks and the Less than 90-Day Accumulation Time Limit	ENCORE	APR 23, 2015
1057. Decharacterized RCRA Waste - Manifesting and LDR Reporting	ENCORE	APR 30, 2015
1058. Decharacterized Hazardous Waste Listed Solely for Non-Toxic Characteristics	ENCORE	MAY 7, 2015
1059. Decharacterized Wastes, <90-Day Accumulation Time Limits and LDR Storage Prohibition	ENCORE	MAY 14, 2015
1060. Decharacterized Wastes and the LDR Dilution Prohibition	ENCORE	MAY 21, 2015
1061. Hazardous Debris Macroencapsulation and Size Reduction	ENCORE	MAY 28, 2015
1062. Universal Waste Lamps and Prohibition on Crushing		JUN 4, 2015
1063. F003 Listed Hazardous Waste and the 10% Rule	ENCORE	JUN 11, 2015
1064. F001 - F005 Listed Hazardous Waste and the 10% Rule	ENCORE	JUN 18, 2015
1065. Macroencapsulation of Hazardous Debris and Presence of Free Liquids	ENCORE	JUN 25, 2015
1066. DOT Shipping of Damaged, Defective or Recalled Lithium Batteries		JUL 1, 2015
1067. Used Oil Eligibility for Animal and Vegetable Oils	ENCORE	JUL 9, 2015
1068. Used Oil Eligibility for Petroleum Oils Mixed with Animal or Vegetable Oils		JUL 16, 2015
1069. Conditioned Exclusion for Listed Hazardous Waste Debris Treated via Extraction/Destruction	ENCORE	JUL 23, 2015
1070. Conditioned Exclusion for Characteristic Debris Treated via Immobilization		JUL 30, 2015
1071. RCRA Personnel Training and Classroom Training vs. Online Training		AUG 6, 2015
1072. PCB Decontamination Standards with No Decontamination Performed		AUG 13, 2015
1073. PCB Manifest Exceptions a.k.a. When is a PCB Manifest Not Required	ENCORE	AUG 19, 2015
1074. PCB Manifest Relief a.k.a. When is a PCB Manifest Not Required – The Sequel		AUG 27, 2015
1075. Hazardous Debris and Radioactively Contaminated Cadmium Batteries	ENCORE	SEP 3, 2015
1076. Hazardous Debris and Radioactively Contaminated Lead Acid Batteries	ENCORE	SEP 10, 2015
1077. Mercury Wet Cell Batteries - Debris or Not Debris	ENCORE	SEP 17, 2015
1078. Hazardous Debris and Non-Radioactive Lead Acid Batteries		SEP 24, 2015
1079. Unused Paraformaldehyde - U Listed Hazardous Waste or Not?	ENCORE	OCT 1, 2015
1080. CAS Numbers and the Hazardous Waste "U" and "P" Listings	ENCORE	OCT 8, 2015
1081. Universal Waste One Year Accumulation and Multiple Handlers	ENCORE	OCT 15, 2015
1082. LDR Notifications and F001-F005 Constituents of Concern	ENCORE	OCT 29, 2015
1083. LDR Notifications and F001-F005 Constituents of Concern – Again	ENCORE	NOV 5, 2015
1084. LDR Notifications and F001-F005 Constituents of Concern - One Last Time	ENCORE	NOV 12, 2015
1085. DOT and Terminal Protection of Alkaline Batteries	ENCORE	NOV 19, 2015
1086. Used Oil and Keeping Containers Closed – WAC 173-303 vs. 40 CFR 279		NOV 24, 2015
1087. PCB Weight Determinations	ENCORE	DEC 3, 2015
1088. Satellite Accumulation Requirements and Container Inspections	ENCORE	DEC 10, 2015
1089. 'Twas The Night Before Christmas - The Twenty-Third Annual Edition	ENCORE	DEC 24, 2015
1090. Satellite Accumulation and 85-Gallon Containers	ENCORE	DEC 31, 2015
1091. PCB Date Removed From Service Notations – On the Item or In a Log	ENCORE	JAN 7, 2016

**DISCLAIMER** - "Two Minute Training" ("2MT") is a peer-to-peer communication, presented to share the benefit of the author's work experience with other professionals, who can independently evaluate his analysis. 2MT does not necessarily reflect the opinions, conclusions or policies of the author's past or current employers or the US Department of Energy. The author's employers do not take any responsibility for the accuracy of its conclusions. 2MT is not intended to be used as authoritative guidance or direction by any person or entity. Anyone transmitting or reproducing it is prohibited from modifying its content, this disclaimer, or other text, or republishing it independent of its original source.

## TWO MINUTE TRAINING

**TO:** CH2M HILL PLATEAU REMEDIATION COMPANY

**FROM:** PAUL W. MARTIN, RCRA Subject Matter Expert  
CHPRC Environmental Protection, Hanford, WA

**SUBJECT:** PCB DATE REMOVED FROM SERVICE NOTATIONS – ON THE ITEM OR IN A LOG

**DATE:** JANUARY 7, 2016

<u>CHPRC Projects</u>	<u>CH PRC - Env. Protection</u>	<u>MSA</u>	<u>Hanford Laboratories</u>	<u>Other Hanford Contractors</u>	<u>Other Hanford Contractors</u>
Richard Austin Roni Ashley Tania Bates Bob Cathel Rene Catlow Richard Clinton Larry Cole John Dent Brian Dixon Eric Erpenbeck Stuart Hildreth Mike Jennings Stephanie Johansen Jeanne Kisielnicki Melvin Lakes Jim McGrogan Stuart Mortensen Anthony Nagel Dean Nester Dave Richards Phil Sheely Connie Simiele Jennie Stults Michael Waters Jeff Widney	Brett Barnes Mitch Boyd Ron Brunke Bill Cox Laura Cusack Lorna Dittmer Rick Engelmann Ted Hopkins Sasa Kosjerina Jim Leary Dale McKenney Jon McKibben Rick Oldham Linda Petersen Fred Ruck Ray Swenson Wayne Toebe Lee Tuott Daniel Turlington Dave Watson Joel Williams	Jerry Cammann Jeff Ehlis Garin Erickson Lori Fritz Panfilo Gonzales Jr. Dashia Huff Mark Kamberg Edwin Lamm Candice Marple Saul Martinez Jon Perry Thomas Pysto Christina Robison Don Rokkan Lana Strickling Lou Upton	(TBD)  <u>DOE RL, ORP, WIPP</u>  Mary Beth Burandt Duane Carter Cliff Clark Mike Collins Tony McKarns Ellen Mattlin Greg Sinton Scott Stubblebine	Bill Bachmann Dean Baker Scott Baker Lucinda Borneman Paul Crane Tina Crane Greta Davis Jeff DeLine Ron Del Mar John Dorian Mark Ellefson Darrin Faulk Joe Fritts Tom Gilmore Rob Gregory Gene Grohs James Hamilton Andy Hobbs Ryan Johnson Dan Kimball Megan Lerchen Richard Lipinski Charles (Mike) Lowery Michael Madison Terri Mars Cary Martin Grant McCalmant Steve Metzger Tony Miskho Matt Mills Tom Moon Chuck Mulkey Mandy Pascual Kirk Peterson Jean Quigley	Dan Saueressig Merrie Schilperoort Joelle Moss Glen Triner Greg Varljen Julie Waddoups Jay Warwick Kyle Webster Jeff Westcott Ted Wooley

**DISCLAIMER** - "Two Minute Training" ("2MT") is a peer-to-peer communication, presented to share the benefit of the author's work experience with other professionals, who can independently evaluate his analysis. 2MT does not necessarily reflect the opinions, conclusions or policies of the author's past or current employers or the US Department of Energy. The author's employers do not take any responsibility for the accuracy of its conclusions. 2MT is not intended to be used as authoritative guidance or direction by any person or entity. Anyone transmitting or reproducing it is prohibited from modifying its content, this disclaimer, or other text, or republishing it independent of its original source.

## TWO MINUTE TRAINING

**SUBJECT:** PCB Date Removed From Service Notations – On the Item or In a Log

**Q:** A customer is storing for disposal several PCB capacitors. The customer is aware that PCB items must be dated when they are removed from service for disposal. As opposed to noting the DRFS on each individual PCB capacitor, the customer would like to maintain a log of PCB capacitors by serial number, location and the date removed from service (DRFS). If the customer maintains a DRFS log, would the log be in compliance with the DRFS requirements of [40 CFR 761.65\(c\)\(8\)](#)?

**A:** An excerpt from 40 CFR 761.65(c)(8), states:

*“PCB Items shall be dated on the item when they are removed from service for disposal. The storage shall be managed so that the PCB Items can be located by this date.”*

A key phrase in the above wording is that the PCB items shall be dated “on the item”. Placing a date on the item implies that the item itself must be dated as opposed to maintaining a log.

As further clarification, the [1994 PCB Question and Answer Manual](#) on page II-8 states:

***Q7:** Does each large PCB Capacitor in storage for disposal have to be dated, or would a storage log or list indicating these dates be sufficient?*

***A7:** Each PCB Article, including individual PCB Capacitors, must be dated on the article when placed into storage for disposal [761.65(c)(8)]. Consequently, the mere listing of dates on a storage log or list is not sufficient.*

Note that per [40 CFR 761.3](#), “Definitions”, PCB item means “any PCB Article (*such as PCB capacitors*), PCB Article Container, PCB Container, PCB Equipment, or anything that deliberately or unintentionally contains or has as a part of it any PCB or PCBs”.

Therefore the customer’s PCB capacitors, and any other PCB items, would have to be individually noted with the DRFS as opposed to maintaining a DRFS log in order to comply with 40 CFR 761.65(c)(8).

### **SUMMARY:**

- PCB items must be noted with the date removed from service for disposal.
- The date removed from service must be noted on the item.
- Maintaining a log of dates removed from service would not meet 40 CFR 761.65(c)(8).

Nothing is attached to the email. If you have any questions, please contact me at “Paul\_W\_Martin@rl.gov” or at (509) 376-6620.

**FROM:** Paul W. Martin

**DATE:** 01/07/16

**FILE:** c:\...\2MT\2016\010716.rtf

**PG:** 1

**DISCLAIMER** - “Two Minute Training” (“2MT”) is a peer-to-peer communication, presented to share the benefit of the author’s work experience with other professionals, who can independently evaluate his analysis. 2MT does not necessarily reflect the opinions, conclusions or policies of the author’s past or current employers or the US Department of Energy. The author’s employers do not take any responsibility for the accuracy of its conclusions. 2MT is not intended to be used as authoritative guidance or direction by any person or entity. Anyone transmitting or reproducing it is prohibited from modifying its content, this disclaimer, or other text, or republishing it independent of its original source.