

<u>SUBJECT</u>		<u>DATE</u>
1188. RCRA Empty Containers vs. TSCA PCB Decontaminated Containers - Scenario II	ENCORE	AUG 11, 2016
1189. RCRA Empty Containers vs. TSCA PCB Decontaminated Containers - Scenario III	ENCORE	AUG 18, 2016
1190. Product Spills and Waste Determinations	ENCORE	AUG 25, 2016
1191. Product Spills, Waste Determinations, and LDR	ENCORE	SEP 1, 2016
1192. Regulatory Status of Caustic Rinse Waters Contaminated with Trace Solvents	ENCORE	SEP 8, 2016
1193. Regulatory Status of Sand Blast Grit Contaminated with Trace Listed Solvents	ENCORE	SEP 15, 2016
1194. Hazardous Waste "F" Listings and Trace Contamination	ENCORE	SEP 22, 2016
1195. Hazardous Waste "F" Listings and Trace Contamination – Again!	ENCORE	SEP 29, 2016
1196. Hazardous Waste Determinations and Phase Separation		OCT 6, 2016
1197. Asbestos and DOT Relief	ENCORE	OCT 13, 2016
1198. PCB Containers and Concentration of PCBs	ENCORE	OCT 20, 2016
1199. PCB Analytical Waste Disposal Requirements	ENCORE	OCT 27, 2016
1200. PCB Analytical Waste Disposal Requirements – Water vs. Organic Liquids and Non-aqueous Inorganic Liquids		NOV 3, 2016
1201. Listed Waste Codes and Pre-RCRA Wastes	ENCORE	NOV 10, 2016
1202. Purpose of the ≤90-day Hazardous Waste Accumulation Exemption		NOV 17, 2016
1203. Used Oil Eligibility for Turkey and Ham Oils	ENCORE	NOV 23, 2016
1204. PCB Reporting and Recordkeeping Relief	ENCORE	DEC 1, 2016
1205. Defining Criteria for Household Waste Exclusion	ENCORE	DEC 8, 2016
1206. The Household Waste Exclusion and Renovation Debris	ENCORE	DEC 15, 2016
1207. 'Twas the Night before Christmas – The Twenty-Fourth Annual Edition		DEC 24, 2016
1208. The Household Waste Exclusion and Renovation Debris – Part II	ENCORE	DEC 29, 2016
1209. Absorbent Additions and Treatment		JAN 5, 2017
1210. Frozen RCRA Wastewater - DOT Liquid or Solid When Manifested?	ENCORE	JAN 12, 2017
1211. DOT Marking Specifications for the "UN", "NA" and "ID" Markings		JAN 19, 2017
1212. Satellite Accumulation within a ≤90-day Accumulation Area	ENCORE	JAN 26, 2017
1213. Washington State-Only Dangerous Waste Markings – Accumulation vs. Pre-Transport	ENCORE	FEB 2, 2017
1214. RCRA Empty Tanker Trailers and Listed Waste Codes	ENCORE	FEB 9, 2017
1215. RCRA Empty vs. DOT Empty	ENCORE	FEB 16, 2017
1216. RCRA Empty vs. DOT Empty II	ENCORE	FEB 23, 2017
1217. Multiple Characteristic Hazardous Waste Codes and Underlying Hazardous Constituents	ENCORE	MAR 2, 2017
1218. Multiple Characteristic and Listed Hazardous Waste Codes and the "in lieu of" LDR Principle	ENCORE	MAR 9, 2017
1219. LDR Storage Prohibitions and the One-Year Rule	ENCORE	MAR 16, 2017
1220. LDR Storage Prohibitions and Treated Wastes	ENCORE	MAR 23, 2017
1221. LDR Storage Prohibitions and Treated Hazardous Debris or Contaminated Soil		MAR 30, 2017
1222. LDR Requirements for Universal Wastes		APR 6, 2017
1223. LDR Requirements for Spent Lead-Acid Batteries Being Reclaimed		APR 13, 2017
1224. When is When Defined for the RCRA Phrase "When Reclaimed"?	ENCORE	APR 20, 2017
1225. RCRA Characteristic of Ignitability and DOT Oxidizers	ENCORE	APR 27, 2017
1226. Safety Data Sheets (SDSs) and Hazardous Wastes	ENCORE	MAY 4, 2017
1227. Containers and Tanks – RCRA Wastes vs. TSCA PCB Wastes	ENCORE	MAY 11, 2017
1228. Universal Waste Lamps and Prohibition on Crushing	ENCORE	MAY 18, 2017
1229. Operating Record vs. Operating Log		MAY 25, 2017
1230. Operating Records Not Referenced in "Facility Recordkeeping"		JUN 1, 2017
1231. Used Oil and Weekly Inspections	ENCORE	JUN 8, 2017
1232. Used Oil, Secondary Containment and Response to Spills	ENCORE	JUN 15, 2017
1233. Used Oil and Keeping Containers Closed – Washington State vs. the Feds	ENCORE	JUN 21, 2017

DISCLAIMER - "Two Minute Training" ("2MT") is a peer-to-peer communication, presented to share the benefit of the author's work experience with other professionals, who can independently evaluate his analysis. 2MT does not necessarily reflect the opinions, conclusions or policies of the author's past or current employers or the US Department of Energy. The author's employers do not take any responsibility for the accuracy of its conclusions. 2MT is not intended to be used as authoritative guidance or direction by any person or entity. Anyone transmitting or reproducing it is prohibited from modifying its content, this disclaimer, or other text, or republishing it independent of its original source.

TWO MINUTE TRAINING

TO: CH2M HILL PLATEAU REMEDIATION COMPANY

FROM: PAUL W. MARTIN, RCRA Subject Matter Expert
CHPRC Environmental Protection, Hanford, WA

SUBJECT: USED OIL AND KEEPING CONTAINERS CLOSED – WASHINGTON STATE VS. THE FEDS

DATE: JUNE 21, 2017

<u>CHPRC Projects</u>	<u>CH PRC - Env. Protection</u>	<u>MSA</u>	<u>Hanford Laboratories</u>	<u>Other Hanford Contractors</u>	<u>Other Hanford Contractors</u>
Richard Austin Roni Ashley Tania Bates Rene Catlow Richard Clinton Larry Cole John Dent Brian Dixon Eric Erpenbeck Stuart Hildreth Mike Jennings Stephanie Johansen Jeanne Kisielnicki Melvin Lakes Jim McGrogan Stuart Mortensen Dean Nester Dave Richards Phil Sheely Connie Simiele Jennie Stults Jeff Westcott Jeff Widney	Ron Brunke Bob Bullock Bill Cox Laura Cusack Lorna Dittmer Ted Hopkins Sasa Kosjerina Jim Leary Rick Oldham Anthony Nagel Robert Nielson Linda Petersen Fred Ruck Ray Swenson Wayne Toebe Daniel Turlington Dave Watson Joel Williams	Brett Barnes Jerry Cammann Jeff Ehlis Garin Erickson Panfilo Gonzales Jr. Dashia Huff Mark Kamberg Edwin Lamm Candice Marple Jon McKibben Saul Martinez Jon Perry Christina Robison Lana Strickling Lou Upton	(TBD) <u>DOE RL, ORP, WIPP</u> Mary Beth Burandt Duane Carter Cliff Clark Tony McKarns Ellen Mattlin Greg Sinton Scott Stubblebine	Bill Bachmann Dean Baker Scott Baker Lucinda Borneman Paul Crane Tina Crane Jeff DeLine Ron Del Mar John Dorian Mark Ellefson Darrin Faulk Joe Fritts Lori Fritz Tom Gilmore Rob Gregory Gene Grohs James Hamilton Andy Hobbs Ryan Johnson Dan Kimball Megan Lerchen Richard Lipinski Charles (Mike) Lowery Michael Madison Terri Mars Cary Martin Marty Martin Grant McCalmant Steve Metzger Tony Miskho Matt Mills Tom Moon Chuck Mulkey Mandy Pascual Kirk Peterson	Jean Quigley Dan Saueressig Merrie Schilperoort Joelle Moss Glen Triner Greg Varljen Julie Waddoups Jay Warwick Kyle Webster Ted Wooley

DISCLAIMER - "Two Minute Training" ("2MT") is a peer-to-peer communication, presented to share the benefit of the author's work experience with other professionals, who can independently evaluate his analysis. 2MT does not necessarily reflect the opinions, conclusions or policies of the author's past or current employers or the US Department of Energy. The author's employers do not take any responsibility for the accuracy of its conclusions. 2MT is not intended to be used as authoritative guidance or direction by any person or entity. Anyone transmitting or reproducing it is prohibited from modifying its content, this disclaimer, or other text, or republishing it independent of its original source.

TWO MINUTE TRAINING

SUBJECT: Used Oil and Keeping Containers Closed – Washington State vs. the Feds

Q: A customer from Washington State is visiting a Sister Facility in another state and notes that the Sister Facility's used oil containers have open top funnels that are not kept closed. When the Washington State person pointed out the issue to the Sister facility, the Sister Facility's response was that it is OK under 40 CFR 279. So what is the difference in the Washington State requirements vs. the Federal 40 CFR 279 requirements for keeping a used oil container closed?

A: [WAC 173-303-515\(6\)\(a\)\(i\)](#), "Standards for the management of used oil", states:

"Containers must be closed at all times, except when adding or removing materials managed under this section."

However, [40 CFR 279.22](#), "Standards for the Management of Used Oil", states nothing about keeping used oil containers closed. 40 CFR 279.22(b)(1) and (2) only state that used oil containers must be in good condition and not leaking.

As further clarification, an [EPA Guidance Memo dated September 1, 1997](#), stated that used oil containers and tanks do not need to comply with 40 CFR 264/265, Subparts J (tanks) and I (containers) provided the used oil is not mixed with a hazardous waste. [40 CFR 264/265 Subpart I](#), "Use and Management of Containers" and [40 CFR 264/265.173\(a\)](#) is the regulatory citation stating:

"A container holding hazardous waste must always be closed during storage, except when necessary to add or remove wastes."

Since 40 CFR 279 does not include wording to keep used oil containers closed and does not reference 40 CFR 264/265 Subpart I, there appears to be no Federal requirement to keep used oil containers closed - unless your Spill Prevention, Control and Countermeasures (SPCC) Plan requires it.

Washington State, however, is more stringent than the Federal regulations and as stated in [WAC 173-303-515\(6\)\(a\)\(i\)](#), used oil containers in Washington State must be closed at all times except when adding or removing used oil.

SUMMARY:

- WAC 173-303-515(6)(a)(i) requires used oil containers to be closed.
- 40 CFR 279.22 does not require used oil containers to be closed.
- Therefore, Washington State has chosen to be more stringent than the Federal regulations concerning keeping used oil containers closed.

Excerpts from WAC 173-303-515 and 40 CFR 279, and the EPA guidance memo dated September 1, 1997, are attached. If you have any questions, please contact me at [Paul W Martin@rl.gov](mailto:Paul_W_Martin@rl.gov) or at (509) 376-6620.

FROM: Paul W. Martin

DATE: 6/21/17

FILE: 2MT\2017\062117.rtf

PG: 1

DISCLAIMER - "Two Minute Training" ("2MT") is a peer-to-peer communication, presented to share the benefit of the author's work experience with other professionals, who can independently evaluate his analysis. 2MT does not necessarily reflect the opinions, conclusions or policies of the author's past or current employers or the US Department of Energy. The author's employers do not take any responsibility for the accuracy of its conclusions. 2MT is not intended to be used as authoritative guidance or direction by any person or entity. Anyone transmitting or reproducing it is prohibited from modifying its content, this disclaimer, or other text, or republishing it independent of its original source.

TWO MINUTE TRAINING - ATTACHMENT

SUBJECT: Used Oil and Keeping Containers Closed – Washington State vs. the Feds

WAC 173-303-515 Standards for the management of used oil.

(6) **Standards for used oil generators.** This subsection applies to all used oil generators and persons managing materials under this section. The standards for used oil generators of 40 C.F.R. Parts 279.20 through 279.24 are incorporated by reference except 40 C.F.R. Part 279.21. Used oil generators and persons managing materials under this subsection are subject to the federal regulations listed above and the following:

(a) Storage requirements for containers and tanks.

(i) Containers must be closed at all times, except when adding or removing materials managed under this section.

(ii) Containers and tanks must not be opened, handled, managed or stored in a manner that may cause the container or tank to leak or rupture.

40 CFR §279.22 Used oil storage

Used oil generators are subject to all applicable Spill Prevention, Control and Countermeasures ([40 CFR part 112](#)) in addition to the requirements of this Subpart. Used oil generators are also subject to the Underground Storage Tank ([40 CFR part 280](#)) standards for used oil stored in underground tanks whether or not the used oil exhibits any characteristics of hazardous waste, in addition to the requirements of this subpart.

(a) *Storage units.* Used oil generators shall not store used oil in units other than tanks, containers, or units subject to regulation under parts 264 or 265 of this chapter.

(b) *Condition of units.* Containers and aboveground tanks used to store used oil at generator facilities must be:

(1) In good condition (no severe rusting, apparent structural defects or deterioration); and

(2) Not leaking (no visible leaks).

(c) *Labels.*

(1) Containers and aboveground tanks used to store used oil at generator facilities must be labeled or marked clearly with the words “Used Oil.”

(2) Fill pipes used to transfer used oil into underground storage tanks at generator facilities must be labeled or marked clearly with the words “Used Oil.”

[57 FR 41612, Sept. 10, 1992, as amended at 58 FR 26425, May 3, 1993; [63 FR 24969](#), May 6, 1998]